

MARINE BROWN YELLOW



www.bespokebrick.com

01634 707707

enquiries@bespokebrick.com

Unit 1 Magazine B, Ordnance Yard, Upnor Road, Lower Upnor, Kent,

ME2 4UY

Issue Date: January 2021

PRODUCT INFORMATION

| | |
|-----------|-----------------------------|
| Packaging | Shrink wrapped & Palletised |
|-----------|-----------------------------|

TECHNICAL INFORMATION

| | |
|---------------------------------|--|
| Brick Dimensions (L x W x H) | 215 x 102.5 x 65mm |
| Size Tolerances Mean & Range | T1, R1 |
| Configuration | Perforated |
| Voids | <25% |
| Mean Compressive Strength | ≥20 N/mm ² |
| Active Soluble Salts | S2 |
| Water Absorption | ≤12% |
| Durability | F2 |
| Gross Dry Density | 1500 Kg/m ³ |
| Equivalent Thermal Conductivity | 0.46 W/mK |
| Initial Rate of Absorption | 1.5 < IW ≤ 4.0 kg/(m ² min) |