MIDNIGHT HANDMADE



www.bespokebrick.com

01634 707707

enquiries@bespokebrick.com

Unit 1 Magazine B, Ordnance Yard, Upnor Road, Lower Upnor, Kent, ME2 4UY

Issue Date: April 2026

PRODUCT INFORMATION

Packaging	Shrink wrapped & Palletised

TECHNICAL INFORMATION

Reaction to fire	A1
Brick Dimensions (L x W x H)	215 x 102.5 x 65mm
Size Tolerances Mean & Range	T1, R1
Configuration	Frogged
Voids	NPD
Mean Compressive Strength	≥20 N/mm²
Active Soluble Salts	S2
Water Absorption	7%
Durability	F2
Gross Dry Density	1900 Kg/m³
Equivalent Thermal Conductivity	0.58 W/mk
Initial Rate of Absorption	0.5-1.5 kg/(m²min)